


# MINERAL INSULATED (MI) STAINLESS STEEL SHEATHED HEATING CABLE 🖘



### **HEATING CABLE CONSTRUCTION**



SANTO HSQ mineral insulated (MI) Stainless steel series heating cables are suited for use in hazardous areas. The Stainless steel sheath offers excellent corrosive properties against a wide range of organic acids and alkalis in combination with a high temperature withstand capability. HSQ cables are typically used in bitumen plants, gas plants, oil refineries, reactors and vessels, sodium loops and a wide variety of other heat-tracing applications where temperature resistance, power output and durability are paramount. The heating cables can be used for exposure temperatures up to 700°C and a typical power output up to 150 W/m. Higher temperatures and power outputs can be achieved, contact SANTO for assistance. The heating cables are offered as bulk cables as well as factory-terminated heating units employing brazing or laser welding techniques to ensure optimum quality of the connections. The offering is completed with a full range of components for installation, connection and splicing of the heating cables.

## **APPLICATION**

Area classification	Hazardous areas, Zone 1 or Zone 2 (Gas) or Zone 21 or Zone 22 (Dust)
	Ordinary areas

#### ADDDOVALC

ALLIKOVALS	
System (heating units)	[Russia, Kazakhstan, Belarus] For other countries contact your local Santo representative.
	For other countries contact your local Santo representative.

#### **TECHNICAL DATA**

Cable sheath material	321 Stainless steel				
Conductor material	Nichrome				
Max. exposure temperature	re 700°C* (heating cables) 450°C (brazed heating units) 700°C* (laser welded heating units)				
Min. installation temperature	-60°C				
Min. bending radius	6 x outer diameter at -60°C				
Max. supply voltage and power	Voltage (Uo/U)	Max. power output*			
	300/500 Vac	150 W/m			
	460/800 Vac (laser welded heating units)	*typical value, depending on application			
Earth leakage	h leakage 3 mA/100 m (nominal at 20°C, 230 Vac, 50 - 60 Hz)				
Min. cable spacing	25 mm for hazardous areas				

#### MI SERIES HEATING CABLES HSQ

Order Reference	Nominal resistance (Ω/km @ 20°C)	Outer diameter (mm)	Temp. coefficient (x 10 <sup>-3</sup> /K)	Max. coil length [m]	Nom.weight (kg/km)
HSQ1M10K	10000	3.2	0.09	717	39
HSQ1M6300	6300	3.2	0.09	717	39
HSQ1M4000	4000	3.2	0.09	717	39
HSQ1M2500	2500	3.4	0.09	639	46
HSQ1M1600	1600	3.6	0.09	572	52
HSQ1M1000	1000	3.9	0.09	499	62
HSQ1M630	630	4.3	0.09	405	78
HSQ1M400	400	4.7	0.09	342	96
HSQ1M250	250	5.3	0.09	271	127
HSQ1M160	160	6.5	0.09	180	191

Resistance tolerance: ±10%

## RECOMMENDED COLD LEADS FOR HSQ MI SERIES HEATING CABLES

Nom. cross section [mm²]	Order reference	Max. current (design B)	Outer diameter (mm)	Standard gland size
2.5	SC1H2.5	34	5.3	M20
6	SC1H6	57	6.4	M20

Brass glands are standard on all heating units. Other materials are possible, contact Santo for more information.

Delivery length of bulk cable on coil depends on type of resistance and is limited by max. coil length as indicated in the table on top. Factory terminated elements are limited by a max. weight of 50kg, however to ensure practical and safe on-site handling, it is strongly recommended to limit element lengths to 25 - 30kg. Not all resistances are standard items and as such may not be in stock. Contact Santo to confirm lead time. Santo requires the use of a 30 mA residual current device to provide maximum safety and protection from fire.

Where design results in higher leakage current, the preferred trip level for adjustable devices is 30 mA above any inherent capacitive leakage characteristic of the heater as specified by the trace heater supplier or alternatively, the next common available trip level for non adjustable devices, with a maximum of 300 mA. All safety aspects need to be proven. Also refer to the components section for more details on heating units, accessories and nomenclatures.

## **TABLE 3 CHEMICAL RESISTANCE**

	Sheath Material	Maximum Cable Sheath Temp (°C)	Description	Sulphuric Acid	Hydrochloric Acid	Hydrofluoric Acid	Phosphoric Acid	Nitric Acid	Organic Acid	Alkalis	Sea Water	Chloride
S	Stainless Steel 321 DIN 1.4541	600*	18/8 austenitic stainless steel with added titanium	NR	NR	NR	NR	Х	GE	А	NR	NR

Note: NR Not recommended, A acceptable, GE Good to excellent, X Check for specific data

Corrosion resistance data is dependent on temperature and concentration.

<sup>\*</sup>Temperature limitation based on construction of heating element.